

YOKO SUN

QINGDAO YOKO SUN VALVE INDUSTRY CO.LTD

青岛优科上冶阀业有限公司



YOKO SUN

QINGDAO YOKOSUN FLUID TECHNOLOGY CO.,LTD
青岛优科上野流体科技有限公司

Factory Add (工厂地址) CHAIGOU INDUSTRIAL PARK, GAOM, WEIFANG CITY, CHINA
潍坊市高密市柴沟工业园

Office Add (办公地址) NO. 3 LINGCHUAN ROAD, LICANG DISTRICT, QINGDAO, CHINA
青岛市李沧区灵川路3号

Web (网址) <http://yokosuntech.com/>
E-mail (邮箱) sales@yokosun.cn
Phone (手机) 0086 15863489454
Tel (电话) 0086 532 83747774
Fax (传真) 0086 532 83747774



青岛优科上野流体科技有限公司是一家生产和销售船用阀门的专业公司，公司主要产品：JIS船用阀门，包括青铜、黄铜、铸铁、铸钢等材质的截止阀，截止止回阀，闸阀，旋塞阀，球阀，消防阀，消防栓，快关阀，空气管头等，同时我司承接各式青铜、黄铜铸件。

公司始终以“质量第一、用户第一”为宗旨，不断提高服务水准，并根据客户的需要开发新产品。产品优质、交货及时、服务周到、竞争力的价格、全面满足用户需要，是优科上冶阀业的形象所在，同时优科上冶阀业与国内各大船厂建立了广泛良好的合作关系，远销新加坡、马来西亚、印度尼西亚、泰国、韩国、日本、土耳其、阿联酋、美国和欧洲等国家和地区。

竭诚欢迎国内外客户来我公司洽谈业务，共谋双赢之道。

QINGDAO YOKOSUN FLUID TECHNOLOGY CO., LTD. is a professional manufacturer and exporter that is engaged in the design, development and production of JIS marine valves, DIN series, ANSI series. We are located in Qingdao, with convenient transportation access. All of our products comply with international quality standards and are greatly welcome in different markets throughout the world.

We have over 50 employees, an annual sales figure that exceeds USD8,000,00.00 and are currently exporting 1:2 of our production worldwide. Our well-equipped facilities and excellent quality control throughout all stages of production enable us to guarantee fully customer satisfaction.

As a result of our high quality products and outstanding customer service, we have gained a global sales network reaching Japan, South Korea, Singapore, Malaysia, Turkey, the United Arab Emirates, United States, Europe and so on.

We always follow our principle of integrity, excellence and respect. Backed up by strict quality control, accurate delivery time, excellent service and preferential price, we welcome customers from the whole world to work with us for a win-win future.



API CERT



BV CERT



CCS CERT



ABS CERT

青岛优科上冶阀业有限公司
QINGDAO YOKO SUN VALVE INDUSTRY CO.LTD

地址：青岛市市北区人民一路9号
Add: NO. 9 RENMIN 1 ROAD, SHIBEI DISTRICT, QINGDAO, SHANDONG, CHINA.
Web: www.yokomachine.cn
E-mail: kobvalve@gmail.com
yokovalve@163.com
info@yokomachine.cn
postmaster@yokomachine.cn
Phone: 0086 15063489454
Tel: 0086 532 83747774
Fax: 0086 532 83747774-808

Item 1 JIS Marine Valve Series	Bronze(Brass) Material
Item 2 JIS Marine Valve / Strainer Series	Cast Iron & Cast Steel Material
Item 3 DIN Cast Iron Valve Series	Cast iron GG25 & Ductile iron GG40/GG50
Item 4 BS Cast Iron Valve Series	Cast iron GG25 & Ductile iron GG40/GG50
Item 5 API(ANSI) / DIN / JIS Ball Valve Series	Cast Iron Material
Item 6 Knife Valve Series	Cast Steel Material
Item 7 ANSI Valve Series	Cast Iron Material
Item 8 DIN Valve Series	Carbon Steel & Stainless 304/316
Item 9 ANSI Valve Series	Carbon Steel & Stainless 304/316
Item 10 JIS Valve Series	Carbon Steel & Stainless 304/316
Item 11 Ball Valve Series	Stainless Steel & Forged Steel Valve
Item 12 Butterfly Valves	JIS 5K/10K&DIN PN10/PN16 &ANSI Class125/150
Item 13 Flanges & Pipe Fitting	Cast Steel, Forged Steel, Stainless ss304/ss316, Forged Brass Material



Item 1 JIS Marine Valve Series Bronze(Brass) Material



JIS F7301 5K/F7303 16K GLOBE VALVE
JIS F7351 5K/F7409 16K SDNR VALVE
1.End Type: Flange
2.DN: 15mm-65mm
3.PN: 5K (10K) 16K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7302 5K/F7304 16K ANGLE VALVE
JIS F7351 5K/F7409 16K ANGLE SDNR VALVE
1.End Type: Flange
2.DN: 15mm-65mm
3.PN: 5K (10K) 16K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7367 5K GATE VALVE
JIS F7368 10K GATE VALVE
1.End Type: Flange
2.DN: 15mm-65mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7334A/F7334B 5K/10K HOSE GLOBE (ANGLE) VALVE
1.End Type: Flange
2.DN: 15mm-65mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7220Q 5K / 10K Y-TYPE STRAINER
1.End Type: Flange
2.DN: 15mm-50mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7356 5K LIFT (ANGLE) CHECK VALVE
1.End Type: Flange
2.DN: 15mm-50mm
3.PN: 5K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7371 5K SWING CHECK VALVE
1.End Type: Flange
2.DN: 15mm-50mm
3.PN: 5K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7381 BRONZE COCK
1.End Type: Flange
2.DN: 15mm-50mm
3.PN: 5K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7387 MARINE BRONZE COCK
UIS TYPE 16K 6mm/10mm



JIS F7388 S-TYPE U-TYPE 20K 6mm/10mm



MARINE BRONZE MALE THREAD GLOBE VALVE & GLOBE CHECK VALVE



JIS F3019 SLFE COUNTDOWN CLOSE GATE VALVE
40mm, 50mm



JIS F7398 5K/10K F/U TYPE SLEF CLOSING VALVE
1.End Type: F/U
2.DN: 15mm-50mm
3.PN: 5K
4.Design Standard: JISF7400
5.Flange Standard: JISB2240



JIS F7399 5K / 10K Cast Bronze Fuel Oil Tank Emergency Shut Off Valve
1.End Type: F/U
2.DN: 25mm-100mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2210



JIS BRONZE BALL VALVE 1PC
1.End Type: Flange
2.DN: 15mm-50mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220

Item 2 JIS Marine Valve / Strainer Series Cast Iron & Cast Steel Material



JIS F7305 5K/F7307 10K/F7309 16K CAST IRON GLOBE VALVE
JIS F7353 5K/F7375 10K/F7377 16K CAST IRON SDNR VALVE
1.End Type: Flange
2.DN: 50mm-400mm
3.PN: 5K 10K 16K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7308 5K/F7308 10K/F7310 16K CAST IRON ANGLE VALVE
JIS F7354 5K/F7376 10K/F7378 16K CAST IRON ANGLE SDNR VALVE
1.End Type: Flange
2.DN: 50mm-400mm
3.PN: 5K 10K 16K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7363 5K/F7364 10K CAST IRON GATE VALVE
1.End Type: Flange
2.DN: 50mm-600mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7333A(B) 5K/10K CAST IRON HOSE (ANGLE) VALVE
1.End Type: Flange
2.DN: 50mm/65mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7311 5K/F7319 10K/F7313 20K CAST STEEL GLOBE VALVE
JIS F7311C 5K/F7471 10K/F7473 20K CAST STEEL SDNR VALVE
1.End Type: Flange
2.DN: 50mm-350mm
3.PN: 5K 10K 20K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7312 5K/F7320 10K/F7314 20K CAST STEEL ANGLE VALVE
JIS F7312C 5K/F7472 10K/F7474 20K CAST STEEL ANGLE SDNR VALVE
1.End Type: Flange
2.DN: 50mm-350mm
3.PN: 5K 10K 20K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7363C 5K/F7366 10K CAST STEEL GATE VALVE
1.End Type: Flange
2.DN: 50mm-600mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F3060 /F3069 5K/10K STRAIGHT/ANGLE TYPE STORM VALVE
1.End Type: Flange
2.DN: 40mm-200mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2210



JIS F7220 5K/10K CAST IRON Y-TYPE STRAINER
1.End Type: Flange
2.DN: 50mm-400mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7121 5K/10K S-TYPE/LA-TYPE /LB-TYPE CAST IRON CAN WATER FILTERS
1.End Type: Flange
2.DN: 40mm-250mm
3.PN: 5K/10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7203 5K/10K S-TYPE/L-TYPE CAST IRON MUD BOX
1.End Type: Flange
2.DN: 40mm-250mm
3.PN: 5K/10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7209 5K/10K S-TYPE/LA-TYPE /LB-TYPE CAST IRON SIMPLES OIL STRAINER
1.End Type: Flange
2.DN: 40mm-250mm
3.PN: 5K/10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS-KS91A-121 5K/10K CAST IRON AIR VENT HEAD



JIS F7358 CAST IRON LIFT CHECK VALVE
F7359 CAST IRON ANGLELIFT CHECK VALVE
1.End Type: Flange
2.DN: 50mm-400mm
3.PN: 5K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7372 5K/F7373 10K CAST IRON SWING CHECK VALVE
1.End Type: Flange
2.DN: 50mm-400mm
3.PN: 5K 10K
4.Design Standard: JISF7400
5.Flange Standard: JISB2220



JIS F7208 5K/10K DUPLEX OIL STRAINERS H-TYPE

Item 3 DIN Cast Iron Valve Series Cast iron GG25 & Ductile iron GG40/GG50

Item 3 DIN Cast Iron Valve Series Cast iron GG25 & Ductile iron GG40/GG50



DIN CI RISING STEM GATE VALVE, METAL SEATED, PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤150 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



DIN CI RISING STEM GATE VALVE, METAL SEATED, PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤150 °C
FACE TO FACE: DIN3202 F5
FLANGE: DIN2501



DIN CI GLOBE / CHECK VALVE PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F1
FLANGE: DIN2533



DIN CI ANGLE GLOBE/CHECK VALVE PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F32
FLANGE: DIN2533



DIN CI LIFT CHECK VALVE PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F1
FLANGE: DIN2533



DIN CI SWING CHECK VALVE
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F6
FLANGE: DIN2533



DIN CI CHECK VALVE
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F6
FLANGE: DIN2533



DIN CI U-TYPE STRAINER
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤120 °C
FACE TO FACE: DIN3202 F1
FLANGE: DIN2532 PN4



DIN CI NON-RISING STEM GATE VALVE, LIGHT TYPE, PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤120 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



DIN CI NON-RISING STEM GATE VALVE, F4(B) PN16/PN10
AVAILABLE MEDIUM: WATER, STEAM
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



DIN CI NON-RISING STEM GATE VALVE, METAL SEATED, F4 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



DIN CI NON-RISING STEM GATE VALVE, METAL SEATED, F5 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F5
FLANGE: DIN2501



DIN CI FLANGE JOINTS 8302, PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FLANGE: DIN2501-PN10



DIN CI Y-STRAINER PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
FACE TO FACE: DIN3202 F1
FLANGE: DIN2533



DIN CI Y-TYPE STRAINER, THREAD END
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤200 °C
SCREWED: BSP



FLANGE ADAPTOR
TYPE: USE FOR PIPE, AC/PVC/PE/DI/STEEL PIPE
CLASS: PN10/PN16



DIN CI GATE VALVE, RESILIENT SEATED, F4 PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



DIN CI NON-RISING STEM GATE VALVE, RESILIENT SEATED, F5 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50 °C
FACE TO FACE: DIN3202 F5
FLANGE: DIN2501



DIN CI RESILIENT GATE VALVE, THREAD ENDS, PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50 °C
SCREWED: BSP



DIN CI METAL SEATED (NON-RISING) GATE VALVE, F4(C) PN16/PN10
AVAILABLE MEDIUM: WATER, STEAM
WORKING TEMPERATURE: ≤150 °C
FACE TO FACE: DIN3202 F4
FLANGE: DIN2501



COUPLING
TYPE: USE FOR PIPE, AC/PVC/PE/DI/STEEL PIPE
CLASS: PN10/PN16/PN25



EXPANSION JOINT
TYPE: DOUBLE SHHERE
CLASS: 125PSI, PN6/PN10/PN16/PN25



DIN CI BALL CHECK VALVE
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50 °C
FACE TO FACE: DIN3202 F6
FLANGE: DIN2501-PN10



DIN CI FOOT VALVE PN16/PN10
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤150 °C
FLANGE: DIN2532/2533



DIN CI SILENT CHECK VALVE
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤150 °C
FLANGE: DIN2501 PN10



DIN CI DOUBLE DISC CHECK VALVE
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤150 °C
FLANGE: WAFER END PN6/PN10/PN16

Item 4 BS Cast Iron Valve Series Cast iron GG25 & Ductile iron GG40/GG50



BS CI NON-RISING STEM, METAL SEATED GATE VALVE, BS5163 BS10-TABLE-D
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤120°C
FLANGE: BS4504 BS10T/D



BS CI NON-RISING STEM, METAL SEATED, GATE VALVE BS3464 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤120°C
FLANGE: BS4504 BS10T/D



BS CI NON-RISING STEM, RESILIENT SEATED GATE VALVE BS5163 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50°C
FLANGE: BS4504



BS CI METAL SEATED GATE VALVE BS664 PN16
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤50°C
FLANGE: BS4504



BS CI RISING STEM, METAL SEATED GATE VALVE, BS5163 BS10-TABLE-D
AVAILABLE MEDIUM: WATER
WORKING TEMPERATURE: ≤120°C
FLANGE: BS4504 BS10T/D

Item 5 API(ANSI) / DIN / JIS Ball Valve Series Cast Iron Material



API CAST IRON FULL BORE VALVE, FLANGE END, ANSI B16.10, CL125/150



DIN CAST IRON FULL BORE BALL VALVE, FLANGE END, DIN3357 PN10/PN16



DIN CAST IRON REDUCE BORE BALL VALVE, FLANGE END, DIN3357 PN10/PN16



JIS 7S-48 CAST IRON FULL BORE, FLANGE END, BALL VALVE 5K/10K

Item 6 Knife Valve Series



RISING MANUAL KNIFE GATE VALVE



RISING MANUAL WAFER KNIFE GATE VALVE



NON-RISING MANUAL KNIFE GATE VALVE



PNEUMATIC KNIFE GATE VALVE

Item 7 ANSI Valve Series Cast Iron Material



ANSI CAST IRON GLOBE VALVE STRIGHT TYPE, 125PSI, 150PSI



ANSI CAST IRON ANGLE GLOBE VALVE STRIGHT TYPE, 125PSI, 150PSI



ANSI CAST IRON Y-TYPE STRAINER 125PSI, 150PSI



ANSI CAST IRON RISING GATE VALVE 125PSI, 150PSI

Item 8 DIN Valve Series Carbon Steel & Stainless 304/316



DIN CS GLOBE/CHECK VALVE AVAILABLE MEDIUM: WATER, STEAM
FACE TO FACE: DIN3202 F1
FLANGE: DIN2533
CLASS: PN10/PN16/PN25/PN40



DIN CS ANGLE GLOBE/CHECK VALVE AVAILABLE MEDIUM: WATER, STEAM
FACE TO FACE: DIN3202 F32
FLANGE: DIN2533
CLASS: PN10/PN16/PN25/PN40



DIN CS Y-TYPE STRAINER AVAILABLE MEDIUM: WATER
FACE TO FACE: DIN3202 F1
FLANGE: DIN2533
CLASS: PN10/PN16/PN25/PN40



DIN CS GATE VALVE AVAILABLE MEDIUM: WATER, STEAM
FACE TO FACE: DIN3202
FLANGE: DIN3352
CLASS: PN10/PN16/PN25/PN40

Item 9 ANSI Valve Series Carbon Steel & Stainless 304/316



ANSI CAST STEEL GATE VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL GATE VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL GATE VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL GATE VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL GLOBE VALVE A CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL GLOBE VALVE B CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL SWING CHECK VALVE CLASS125/150 (SS304/SS316)



ANSI CAST STEEL BALL VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL BALL VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL BALL VALVE CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL STRAINER CLASS125/150/300 (SS304/SS316)



ANSI CAST STEEL 3-WAY BALL VALVE CLASS125/150/300 (SS304/SS316)

Item 10 JIS Valve Series Carbon Steel & Stainless 304/316



JIS OUTSIDE SCREW GATE VALVE



JIS OUTSIDE SCREW GATE VALVE



JIS INSIDE SCREW GATE VALVE



JIS INSIDE SCREW GATE VALVE



JIS GLOBE VALVE 10K/20K



JIS GLOBE VALVE 10K/20K



JIS LIFT CHECK VALVE 10K/20K



JIS SWING CHECK VALVE 10K/20K



JIS HAMMERLESS CHECK VALVE 10K/20K



JIS WAFER CHECK VALVE 40K



JIS BALL VALVE 10K/20K



JIS BALL VALVE 10K/20K



JIS ELECTRICALLY OPERATED VALVE



JIS FOOT VALVE 10K/20K



JIS STRAINER 10K/20K

Item 11 Ball Valve Series Stainless Steel & Forged Steel Valve



1PC SCREW BALL VALVE



2PCS SCREW BALL VALVE



3PCS SCREW BALL VALVE



THREE WAY BALL VALVE WITH PAD



THREADED END GATE VALVE 200PSI



FEMALE THREAD SWING CHECK VALVE PN16/25/40/64



FEMALE THERAD STRAINER PN18/25/40/64

FORGED FLANGE GATE VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED GATE VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED GLOBE VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED GLOBE VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED SWING CHECK VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED BALL VALVE
JIS 10K/20/40K ANSI CLASS150/300/600

FORGED STEEL 1PC FEMALE THREAD BALL VALVE

Item 12 Butterfly Valves JIS 5K/10K&DIN PN10/PN16 &ANSI Class125/150

CI BUTTERFLY LUG TYPE VALVE
5K 10K PN10 PN16

GROOVED BUTTERFLY VALVE
5K 10K PN10 PN16

FLANGED BUTTERFLY VALVE
5K 10K PN10 PN16

BUTTERFLY VALVE V TYPE
5K 10K PN10 PN16

CI BUTTERFLY VALVE WAFER TYPE
5K 10K PN10 PN16

CI BUTTERFLY VALVE WAFER TYPE
5K 10K PN10 PN16

CI BUTTERFLY VALVE WAFER TYPE
5K 10K PN10 PN16

CI BUTTERFLY VALVE WAFER TYPE
5K 10K PN10 PN16

Item 13 Flanges & Pipe Fitting Cast Steel, Forged Steel, Stainless ss304/ss316, Forged Brass Material

STANDARD: JIS 5K/10K/16K
DIN PN6/PN10/PN16
ANSI CL125/CL150
MATERIAL: CAST STEEL/
FORGED STEEL/SS304/SS316
KINDS: FLAT WELDING, FLANGED LID,
WELDED STEEL WITH NECK PIPE FLANGES,
BUTT WELDING FLANGE,
HIG PRESSURE FLANGE

STANDARD: JIS 5K/10K/16K
DIN PN6/PN10/PN16
ANSI CL125/CL150
MATERIAL: FORGED BRASS
KINDS: FLAT WELDING,
WELDED STEEL WITH NECK PIPE FLANGES

STANDARD: ASME/ANSI 16.9
(SEAMLESS WELDING)
MATERIAL: STAINLESS SS304 /SS316
KINDS: ELBOWS(L,R, SR)
TEE (STRAIGHT AND
REDUCEING OURLET)
REDUCERS
CAPIES

STANDARD: ASME/ANSI 16.9
(SEAMLESS WELDING)
MATERIAL: CARBON STEEL
KINDS: ELBOWS(L,R, SR)
TEE (STRAIGHT AND
REDUCEING OURLET)
REDUCERS
CAPIES